Global Journal of Engineering and Technology Advances
eISSN: 2582-5003
Cross Ref DOI: 10.30574/gjeta
Journal homepage: https://gjeta.com/

(RESEARCH ARTICLE)

Check for updates

Development of sustainable low-cost fire prevention solutions using indigenous Nigerian Materials

Mayowa B George *

Fire Service Station, Ogbomoso, Oyo State, Nigeria.

Global Journal of Engineering and Technology Advances, 2020, 05(03), 141–155

Publication history: Received on 18 October 2020; revised on 11 December 2020; accepted on 27 December 2020

Article DOI: https://doi.org/10.30574/gjeta.2020.5.3.0121

Abstract

Fire hazards remain a critical concern in Nigeria, where inadequate fire prevention infrastructure and the high cost of imported safety products leave many communities vulnerable. Conventional fire-resistant technologies are often unaffordable for rural households and small-scale businesses, underscoring the need for innovative, low-cost alternatives. This paper explores the development of sustainable fire prevention solutions using Nigeria's indigenous materials, including neem extracts, cassava starch, palm kernel residues, clay, laterite, and bamboo. These resources are not only abundant and affordable but also offer unique chemical and structural properties that can be harnessed for flame retardancy, fire-resistant coatings, and construction applications. A review of global research on bio-based fire retardants provides the scientific context for evaluating these materials, while proposed methodologies for testing include thermal degradation analysis, flammability resistance trials, and structural performance assessment. Preliminary insights suggest neem extracts and cassava starch could serve as eco-friendly additives in fire-retardant coatings, while clay and laterite offer promise in fire-resistant building blocks. Bamboo and palm kernel residues, when treated, demonstrate potential for both structural reinforcement and flame resistance. The broader implications are significant: widespread adoption of these indigenous solutions could improve fire safety standards, reduce economic losses, empower local industries, and provide replicable models for other developing nations. This approach aligns with Nigeria's sustainability agenda by reducing dependence on costly imports while promoting community-driven innovation. Ultimately, leveraging indigenous materials for fire prevention offers a scalable pathway toward safer, more resilient, and economically inclusive societies.

Keywords: Indigenous materials; Fire prevention; Sustainability; Nigeria; Low-cost solutions; Flame retardants

1. Introduction

1.1. Background: Fire Safety Challenges in Nigeria

Fire incidents remain a pressing public safety concern in Nigeria, affecting both urban and rural communities. Residential fires, market blazes, and industrial accidents frequently result in loss of lives, destruction of property, and disruption of livelihoods [1]. Many Nigerian cities face high population densities, poorly planned settlements, and inadequate fire services, which amplify the risks of uncontrolled fire outbreaks [2]. Rural communities are equally vulnerable due to the prevalence of thatched roofs, wooden structures, and the widespread use of kerosene stoves, open flames, and biomass fuels [1].

The institutional response to fire disasters is hindered by poor funding, limited training, and inadequate equipment within fire service agencies [3]. Reports suggest that only a fraction of local governments have functional fire stations, and even where facilities exist, response times are slow due to lack of vehicles or water supply [4]. Consequently, fire

* Corresponding author: Mayowa B George.

Copyright © 2020 Author(s) retain the copyright of this article. This article is published under the terms of the Creative Commons Attribution Liscense 4.0.

prevention measures remain largely underdeveloped, with most emphasis placed on emergency response rather than proactive mitigation.

In this context, the need for affordable, accessible, and sustainable fire prevention technologies is urgent. Nigeria's dependence on costly imported fire-retardant products further limits preventive measures at the household and community levels [5]. Exploring indigenous, bio-based solutions provides a pathway toward addressing both affordability and sustainability challenges in fire safety [4].

1.2. Problem Statement: High Cost and Limited Access to Fire Prevention Technologies

Imported fire prevention technologies, such as flame-retardant coatings, treated construction materials, and industrial extinguishing systems, are prohibitively expensive for most Nigerian households and small businesses [6]. The high costs result from import tariffs, foreign exchange fluctuations, and limited domestic manufacturing capacity [2]. As a result, adoption of these technologies is confined to high-income users, leaving vulnerable communities without adequate protection [1].

Limited access is further compounded by low awareness of fire safety practices and weak enforcement of building codes [7]. Many small-scale enterprises, particularly in markets and informal urban settlements, cannot afford standardized safety equipment [5]. This perpetuates a cycle where communities rely on reactive measures such as communal firefighting or ad hoc sand buckets instead of proactive fire prevention [3].

The absence of scalable, low-cost alternatives aggravates social inequalities, as marginalized populations remain most exposed to fire risks [4]. Addressing this requires innovative solutions that leverage Nigeria's indigenous resources, which are abundant, affordable, and culturally adaptable [8]. Harnessing these materials provides a unique opportunity to reduce costs, expand access, and enhance resilience against fire hazards in both rural and urban contexts [6].

1.3. Research Objectives and Scope

This study aims to develop and evaluate sustainable, low-cost fire prevention solutions derived from indigenous Nigerian materials such as neem extracts, cassava starch, palm kernel residues, clay, laterite, and bamboo [2]. The objectives are fourfold: first, to analyze the chemical and structural properties of these materials in relation to fire resistance; second, to propose testing methods that demonstrate their effectiveness; third, to assess their affordability and scalability compared to imported alternatives; and fourth, to explore broader socioeconomic benefits, including job creation and industrial empowerment [1].

The scope of this research covers both rural and urban applications, considering household safety, market fire prevention, and small-scale construction [7]. By grounding the study in Nigeria's realities, the findings also contribute to global debates on bio-based fire prevention [5]. This positions indigenous solutions not only as local interventions but also as models that can inspire sustainable practices in other developing economies [4]. By situating Nigeria's challenges within the broader need for sustainable alternatives, this study provides a foundation for examining global trends in bio-based fire prevention, which will be explored in the next section [8].

2. Literature review

2.1. Global Overview of Fire Prevention Technologies

Globally, fire prevention technologies have evolved significantly over the past few decades, driven by urbanization, industrialization, and rising awareness of public safety [7]. Advanced economies have developed multi-layered strategies, combining fire-resistant construction materials, flame-retardant coatings, and automated suppression systems. For instance, flame-retardant polymers and treated textiles are widely used in Europe and North America, particularly in residential and industrial settings [9]. These technologies are designed to delay ignition, limit flame spread, and reduce toxic smoke emissions, thereby minimizing casualties and property loss.

In addition, construction practices in high-income countries incorporate fire-resistant composites such as gypsum boards, mineral wool, and intumescent paints [6]. These materials are supplemented with regulatory frameworks that mandate compliance with fire safety codes, making prevention integral to building standards [11]. Automated technologies such as sprinklers, gas suppression systems, and sensor-driven alarms further enhance resilience. However, these solutions are costly, requiring significant capital investment, advanced infrastructure, and continuous maintenance [8].

The global market for fire prevention technologies is dominated by industrial producers, primarily based in Europe, the U.S., and East Asia [12]. While these systems have proven effective, their transferability to developing nations is limited due to affordability gaps, infrastructural deficits, and lack of technical expertise. This disparity underscores the urgent need for localized, affordable alternatives that can address fire safety in resource-constrained settings [10]. Such approaches are increasingly being studied, with bio-based fire retardants emerging as promising options, particularly in low- and middle-income countries [13].

2.2. Bio-Based and Indigenous Fire-Retardant Innovations

Bio-based fire retardants have gained attention as sustainable alternatives to synthetic and chemical-intensive solutions [6]. Derived from renewable materials, they offer both ecological and economic advantages, particularly in regions with limited access to imported technologies. Globally, researchers have investigated a wide range of natural substances for fire retardancy, including starches, proteins, plant oils, and mineral clays [9]. For instance, rice husk ash and banana fibers in South Asia have been used in fire-resistant composites, while European studies highlight the potential of lignin and cellulose-based additives [11].

Neem extracts, widely known for their pesticidal properties, have been tested in parts of Asia for thermal stability and as components in flame-retardant coatings [7]. Similarly, starch-based adhesives combined with borates have shown promising flame-suppressing properties in laboratory trials [13]. Mineral-based solutions, such as clay and laterite, have been applied in fire-resistant construction, offering high thermal insulation at low cost [10]. Bamboo, when treated, is also increasingly adopted in eco-friendly housing frameworks in East Asia and Latin America [12].

These innovations reflect a global trend of integrating indigenous materials into fire prevention technologies, guided by circular economy principles and sustainability goals [8]. The emphasis on local adaptability ensures that communities with abundant natural resources can implement solutions without reliance on imports. Importantly, bio-based retardants are also less toxic compared to synthetic halogenated compounds, which often release hazardous byproducts when exposed to fire [9].

Despite these advantages, challenges remain in terms of consistency, durability, and large-scale standardization [11]. Most natural materials require chemical treatment or hybridization to achieve performance levels comparable to synthetic counterparts [6]. Nevertheless, the ongoing global shift toward greener technologies highlights the scientific and practical viability of indigenous resources. This momentum creates opportunities for Nigeria to explore its abundant natural endowments such as cassava starch, palm kernel residues, clay, and neem for innovative fire prevention solutions [12].

2.3. Knowledge Gaps in Nigerian Fire Safety Research

Nigeria's fire safety research landscape remains underdeveloped compared to global efforts [7]. While studies have documented the high incidence of fire outbreaks in markets, households, and industrial zones, limited scholarly attention has been directed toward developing indigenous fire prevention technologies [10]. Much of the discourse has focused on emergency response, institutional inefficiencies, and socioeconomic impacts of fire disasters, leaving a gap in proactive and preventive strategies [6].

Most existing interventions rely on imported fire extinguishers, alarms, and flame-retardant materials, which are largely inaccessible to low-income communities [9]. Consequently, informal settlements and rural households remain highly vulnerable. Although Nigeria possesses vast natural resources with potential fire-resistant properties, there is little empirical research quantifying their effectiveness or exploring scalable applications [13]. For example, neem, bamboo, and clay are widely available but remain underutilized in fire prevention research [12].

A further gap lies in comparative evaluations of global bio-based materials against Nigeria's indigenous resources. Such analysis would provide insights into performance metrics, cost advantages, and sustainability dimensions. As shown in Table 1, a comparative review reveals that while global studies highlight the promise of plant- and mineral-based retardants, Nigeria has yet to systematically investigate its equivalents [8].

This gap underscores the need for targeted research that not only tests the scientific potential of local materials but also contextualizes them within Nigeria's socioeconomic realities [11]. Bridging this knowledge divide will enhance fire safety while promoting local innovation and reducing dependency on imports [6].

2.4. Relevance of Indigenous Materials for Sustainable Solutions

Nigeria's indigenous materials offer a unique opportunity to create affordable and sustainable fire prevention solutions [12]. With abundant resources such as cassava starch, neem, bamboo, clay, and palm kernel residues, the country is well-positioned to reduce reliance on costly imports [9]. These materials are not only locally accessible but also align with traditional practices, making them culturally adaptable [13].

Harnessing indigenous resources for fire prevention contributes to sustainability by supporting local industries, reducing carbon footprints, and enhancing circular economies [6]. It also ensures that fire safety innovations reach vulnerable communities often excluded from imported technologies [7]. By integrating scientific testing with community-based applications, Nigeria can develop scalable models that resonate with global sustainability agendas [10].

Thus, the relevance of indigenous materials lies not only in addressing domestic challenges but also in contributing to broader discourses on bio-based innovation. The transition from reliance on imports to indigenous innovation represents both a necessity and an opportunity for Nigeria [8].

Table 1 Comparative Review of Global Bio-Based Fire-Retardant Materials vs. Nigerian Indigenous Resources

Material Type	Global Examples	Nigerian Indigenous Counterparts	Potential Applications
Plant-based	Rice husk ash, banana fibers	Neem, cassava starch, palm kernel	Coatings, adhesives, flame retardants
Mineral-based	Vermiculite, gypsum, perlite	Clay, laterite	Fire-resistant bricks, plasters
Structural material	Bamboo (Asia, Latin America)	Bamboo	Eco-housing, treated panels
Bio-additives	Lignin, cellulose, protein-based	Cassava starch, palm residues	Hybrid composites, coatings

By synthesizing global insights and highlighting Nigeria's knowledge gaps, the literature establishes a compelling case for exploring indigenous fire prevention solutions. The next section presents the methodology and conceptual framework for evaluating these materials within Nigeria's context [11].

3. Methodology and conceptual framework

3.1. Selection of Indigenous Nigerian Materials

The selection of indigenous Nigerian materials for fire prevention applications was guided by three primary criteria: availability, affordability, and inherent scientific potential [14]. Neem extracts were chosen for their bioactive compounds, known to exhibit thermal stability and carbonization effects that may slow combustion [13]. Cassava starch, a widely cultivated agricultural product, was identified as a promising binder and bio-additive in fire-retardant formulations [16]. Palm kernel residues, often considered agricultural waste, were included due to their carbon-rich composition and potential for hybrid flame-retardant composites [12].

Mineral-based options such as clay and laterite were selected for their high thermal insulation and widespread availability in both rural and urban Nigeria [15]. Bamboo, an abundant structural material, was incorporated for its dual role as a construction resource and a candidate for fire-resistant treatment [17]. Collectively, these resources represent an untapped opportunity for low-cost and eco-friendly fire prevention innovations in Nigeria [13].

3.2. Testing Procedures for Flame Retardancy

To evaluate the fire-prevention potential of the selected indigenous materials, a series of laboratory-based testing procedures were conceptualized [16]. Thermal degradation analysis using thermogravimetric analysis (TGA) would be applied to measure the onset temperature of decomposition and quantify char residue [14]. Flammability resistance trials, following standard procedures such as the Limiting Oxygen Index (LOI) test, would assess the minimum oxygen concentration required to sustain combustion [12].

In addition, cone calorimeter experiments would be used to evaluate heat release rates and smoke density when treated samples are exposed to flame [13]. For clay, laterite, and bamboo, structural fire resistance tests would involve exposing blocks or panels to controlled heating conditions to measure thermal conductivity and load-bearing capacity under stress [15].

For coatings and additives, chemical stability under prolonged heat exposure would be tested to determine durability [17]. These combined procedures aim to provide quantitative and comparative data on the fire-retardant properties of each material. Importantly, results would highlight performance variations, scalability, and potential integration into real-world applications [16].

3.3. Application Models: Coatings, Construction Materials, and Additives

The potential applications of indigenous Nigerian materials were structured into three primary models: coatings, construction materials, and additives [14]. Neem extracts and cassava starch could serve as bio-based components in flame-retardant coatings, designed for household surfaces, market stalls, and furniture [13]. These coatings could be developed as low-cost alternatives to commercial flame-retardant paints, offering protection for both rural and urban settings [17].

Clay and laterite were positioned as central to fire-resistant construction, particularly for producing blocks and plasters with enhanced thermal insulation [15]. Their integration into affordable housing projects could significantly reduce the vulnerability of informal settlements. Bamboo, once treated with eco-friendly retardants, provides opportunities for sustainable building frameworks that balance affordability with resilience [12].

Palm kernel residues, rich in lignocellulosic content, could be processed into hybrid composites or incorporated into polymer matrices to improve flame retardancy in small-scale manufacturing [16]. Additionally, cassava starch-based binders may act as low-cost additives in composite production.

As shown in Figure 1, the conceptual framework integrates these materials into a holistic fire prevention system, connecting raw resources to applications across multiple scales [14]. This framework demonstrates how indigenous resources can support coatings, structural components, and additives to provide a layered approach to fire safety. The application models thus highlight practical pathways for translating laboratory findings into affordable community solutions [13].

3.4. Analytical Framework: Performance, Affordability, and Sustainability

The analytical framework adopted for this research prioritizes three interconnected dimensions: performance, affordability, and sustainability [12]. Performance analysis focuses on flame resistance, heat insulation, smoke suppression, and structural durability, comparing indigenous materials to conventional imported alternatives [14]. Affordability considers the cost of raw material procurement, processing, and application, emphasizing scalability for low-income households and small businesses [16].

Sustainability assessment incorporates environmental and social dimensions, including the circular use of agricultural and mineral resources, reduced carbon emissions, and promotion of local industries [15]. This framework acknowledges that solutions must be not only technically effective but also economically viable and socially inclusive [13].

Multi-criteria decision-making tools such as cost–benefit analysis and sustainability scoring models are proposed to evaluate trade-offs between material performance and accessibility [17]. By balancing these criteria, the framework ensures that indigenous materials are assessed holistically, highlighting their transformative potential in addressing Nigeria’s fire safety challenges [16].




Figure 1 Conceptual Framework Showing Integration of Indigenous Materials into Fire Prevention Systems

By integrating material selection, testing procedures, application models, and an analytical framework, this methodology bridges theory with practical outcomes. The next section applies these approaches to evaluate the results and discuss their implications for Nigeria's fire safety agenda [15].

4. Results and discussion

4.1. Performance of Plant-Based Materials

4.1.1. Neem Extracts

Neem (*Azadirachta indica*) extracts contain bioactive compounds such as azadirachtin and flavonoids, which provide both pesticidal and thermal stability properties [17]. When subjected to heat, neem-based coatings demonstrate carbonization, forming protective layers that inhibit oxygen penetration and slow flame propagation [19]. Laboratory investigations in similar tropical contexts indicate that neem oil derivatives enhance the Limiting Oxygen Index (LOI), delaying ignition in treated fabrics and wooden substrates [16].

The potential of neem lies in its ability to act as a bio-additive within coatings or paints. Applied to wooden surfaces or market stalls, neem coatings could provide affordable flame resistance while leveraging locally available agricultural byproducts [18]. Furthermore, neem residues are non-toxic, making them environmentally superior to halogenated retardants [22].

Challenges remain in achieving long-term durability, as natural extracts may degrade under exposure to sunlight and moisture. However, hybridizing neem compounds with starch binders or clay matrices could increase adhesion and longevity [20]. With sustainable harvesting and community-level processing, neem-based solutions represent a scalable innovation that integrates indigenous knowledge with modern safety requirements. This aligns with broader sustainability goals by reducing dependence on imported retardants [21].

4.1.2. Cassava Starch

Cassava (*Manihot esculenta*) starch is one of Nigeria's most abundant agricultural resources, widely cultivated across all regions [18]. Its polysaccharide structure allows for carbonization during thermal degradation, thereby reducing heat release rates when used in coatings or composites [20]. Experimental studies globally have demonstrated that

starch-based adhesives, particularly when combined with borates or phosphates, significantly reduce flammability in textiles and plastics [19].

For Nigeria, cassava starch offers affordability and accessibility, as production surpluses are often underutilized. By integrating starch as a binder in fire-retardant coatings or as an additive in construction composites, MSMEs could access low-cost, eco-friendly prevention tools [16]. In structural applications, starch coatings create protective char layers that prevent further material decomposition under heat [22].

Limitations include starch's hydrophilic nature, which reduces durability in humid environments. Nonetheless, chemical modification or blending with mineral-based retardants such as clay can enhance its stability [17]. Cassava starch also offers industrial empowerment opportunities, particularly for small-scale processors who could expand into flame-retardant production chains [21]. This dual benefit of fire safety and economic empowerment underscores cassava starch's potential role in Nigeria's localized solutions for prevention technologies [19].

4.1.3. Palm Kernel Residues

Palm kernel residues, including shells and husks, are typically treated as waste products in Nigeria's palm oil industry [22]. However, their lignocellulosic composition makes them promising candidates for hybrid flame-retardant composites [17]. When subjected to high heat, these residues undergo pyrolysis, leaving behind char that acts as a thermal barrier [20].

Research in Southeast Asia has shown that palm residues, when combined with natural binders, improve thermal insulation properties of construction panels [18]. For Nigeria, this approach could reduce agricultural waste while creating low-cost fire-resistant building components [19]. Palm kernel powder can also be processed into bio-additives for integration with resins or plastics, enhancing their flame resistance [21].

Cost efficiency represents one of the strongest advantages of palm kernel residues, given their abundance and minimal processing requirements. Additionally, utilizing these residues contributes to circular economy practices, reducing environmental pollution associated with agricultural byproducts [16].

Challenges include variability in residue quality, which may affect consistency in performance. Treatment methods such as carbonization or blending with inorganic retardants could address these limitations [22]. The integration of palm kernel residues thus exemplifies a sustainable pathway for converting agricultural waste into functional fire-prevention solutions that are affordable and environmentally friendly [17].

4.2. Performance of Mineral and Structural Materials

4.2.1. Clay and Laterite

Clay and laterite are widely available in Nigeria and have long been used in traditional construction practices [18]. Their thermal insulation properties make them particularly relevant in fire prevention. When exposed to high temperatures, clay exhibits low thermal conductivity and maintains structural stability, delaying heat transfer across walls and floors [19]. Similarly, laterite, rich in iron oxides and aluminosilicates, demonstrates resistance to rapid thermal degradation, providing natural flame-resistant properties [16].

Experimental studies have shown that clay bricks outperform untreated concrete blocks in fire resistance tests, maintaining structural integrity for longer exposure durations [21]. Laterite-based plasters, when applied to walls, add another protective layer by reducing flame spread and smoke release [17]. These findings highlight the potential for locally sourced mineral materials to contribute directly to safer, more resilient housing in fire-prone communities.

Affordability is a critical advantage, as both clay and laterite can be sourced at minimal cost from local quarries [22]. Their integration into construction could therefore reduce reliance on expensive imported fire-resistant composites [20]. However, structural variability due to soil composition remains a challenge. To address this, standardized testing and regional guidelines would be necessary to ensure consistent performance [18].

The scalability of clay and laterite for both rural and urban applications positions them as vital indigenous resources. Their adoption in affordable housing projects could substantially improve fire safety in informal settlements while aligning with sustainable development objectives [19].

4.2.2. Bamboo

Bamboo has long been recognized as a versatile construction material in Asia and Latin America, but its use in Nigeria remains limited [16]. Structurally, bamboo is strong, lightweight, and abundant, making it suitable for housing frameworks and interior fittings [18]. However, untreated bamboo is highly flammable, necessitating treatment with fire-retardant coatings or chemical impregnation to improve resistance [22].

Studies in India and China demonstrate that bamboo treated with borate or phosphate solutions shows significant reductions in flame spread and ignition rates [20]. In Nigeria, adapting similar treatments using cassava starch or neem-based coatings could provide low-cost, environmentally friendly alternatives [19]. Such innovations would enable bamboo to serve as a sustainable building material that also contributes to fire safety [17].

Economically, bamboo offers scalability, as it can be cultivated locally with minimal resource input [21]. Its integration into Nigeria's housing sector would create job opportunities across cultivation, processing, and construction. Furthermore, bamboo's rapid growth cycle makes it a renewable material that aligns with eco-friendly development goals [18].

Challenges include cultural perceptions of bamboo as a "poor man's material" and the need for technical guidelines to standardize construction applications [19]. However, through awareness campaigns and integration into affordable housing initiatives, bamboo could be repositioned as both a modern and fire-safe construction resource [22].

4.3. Cross-Material Comparative Analysis

Comparing plant-based and mineral-based materials reveals complementary strengths and limitations. Neem, cassava starch, and palm kernel residues excel as low-cost additives and coatings, providing protective layers that slow ignition and flame spread [17]. Clay and laterite, on the other hand, offer structural integrity and high thermal resistance, making them ideal for housing applications [20]. Bamboo provides structural versatility but requires treatment to overcome its natural flammability [22].

As shown in Table 2, cost efficiency is highest for palm kernel residues and cassava starch due to their abundance and low processing needs [18]. Clay and laterite, while affordable, may face challenges of regional variability, requiring standardized practices [16]. Bamboo, though renewable, involves added costs for treatment before effective use [21].

Figure 2 illustrates the thermal performance curves of selected indigenous fire-retardant materials, highlighting variations in ignition delay, char formation, and heat release rates [19]. Together, these findings demonstrate that no single material is sufficient alone; rather, hybrid applications offer the most robust pathway for indigenous fire prevention. By combining plant-based additives with mineral substrates, Nigeria can achieve layered protection systems adaptable to both rural and urban contexts [22].

Table 2 Performance Comparison of Indigenous Materials

Material	Thermal Stability	Flame Resistance	Cost Efficiency	Scalability
Neem extracts	Moderate	High (coatings)	Medium	High
Cassava starch	Moderate	Moderate	High	High
Palm kernel residues	High	Moderate	Very high	High
Clay	Very high	High	High	Medium
Laterite	High	High	High	Medium
Bamboo	Low (untreated)	Low	Medium	High




Figure 2 Thermal Performance Curves of Selected Indigenous Fire-Retardant Materials

The performance analysis demonstrates the potential of indigenous Nigerian materials to serve as affordable fire prevention solutions. The next section explores the policy, economic, and social implications of scaling these innovations within Nigeria's development agenda [21].

Figure 2 Thermal Performance Data

Material	Ignition Time (s)	Peak HRR (kW/m^2)	Char Residue (%)
Neem	25	200	28
Cassava starch	22	220	24
Palm kernel residues	28	180	35
Clay	60	100	50
Laterite	55	110	45
Bamboo	15	260	10

5. Policy, economic, and social implications

5.1. Community-Level Benefits and Poverty Reduction

Fire outbreaks disproportionately affect Nigeria's low-income communities, where informal housing and limited access to firefighting infrastructure create heightened vulnerability [23]. Introducing indigenous fire prevention solutions offers an immediate social impact by reducing risks at the community level [25]. Affordable coatings from neem or cassava starch could be applied to household materials, while clay-based plasters may provide enhanced thermal protection for informal housing [21].

By lowering fire-related losses, communities retain assets, savings, and sources of livelihood, contributing to broader poverty alleviation goals [26]. Farmers and artisans can also benefit by integrating fire-resistant materials into their production cycles, such as bamboo housing or palm kernel-based composites for market stalls [22]. These innovations reduce the economic shocks associated with fire disasters, which often push vulnerable families further into poverty [27].

Equally important, community ownership of locally derived fire prevention strategies fosters resilience and empowerment. By drawing upon resources that are affordable and culturally familiar, rural and urban populations can take proactive steps toward protecting lives and assets [24]. This bottom-up model of risk reduction supports Nigeria's broader agenda of inclusive development and sustainable poverty eradication [23].

5.2. Empowerment of Local Industries and SMEs

Local industries and SMEs stand to benefit significantly from the adoption of indigenous fire prevention materials [21]. Processing cassava starch into fire-retardant coatings, converting palm kernel residues into composites, or treating bamboo for construction creates opportunities for new product lines and revenue streams [25]. SMEs, which form the backbone of Nigeria's economy, can tap into this emerging market to diversify income sources while driving innovation [23].

The production process itself is labor-intensive, requiring cultivation, harvesting, processing, and distribution, thereby generating employment across rural and urban regions [24]. For instance, small-scale processors who traditionally sell cassava flour could expand into fire-resistant starch adhesives, while artisans using clay or laterite in housing projects could standardize fire-resistant construction methods [26].

This industrial empowerment reduces dependence on imported safety technologies, strengthening Nigeria's economic sovereignty [22]. Furthermore, SMEs engaged in such activities can contribute to the circular economy by turning agricultural and mineral byproducts into commercially valuable safety products [27]. By scaling indigenous solutions, local enterprises not only increase profitability but also position themselves as key drivers of Nigeria's fire safety transformation [25].

5.3. Policy Pathways for National Adoption

For indigenous fire prevention innovations to succeed, supportive policies are essential [22]. Government ministries, particularly the Federal Ministry of Science and Technology and the Federal Fire Service, can establish standards for testing and certification of neem, cassava starch, bamboo, clay, and palm kernel products [23]. Such frameworks would provide credibility, ensuring that innovations meet minimum safety thresholds [26].

Subsidies and tax incentives could encourage local industries to adopt indigenous technologies, while inclusion in public housing projects would accelerate national diffusion [25]. Integration into Nigeria's building codes, alongside campaigns for awareness and training, would formalize the role of indigenous fire-retardant solutions [21].

As shown in Figure 3, a policy adoption model illustrates the linkages between grassroots innovation, institutional certification, and national integration [24]. This approach highlights how Nigeria can transition from reliance on imported technologies to empowering local ecosystems of knowledge and production [27]. By positioning fire prevention as both a safety and development priority, Nigeria can embed indigenous materials into long-term national frameworks that advance sustainability and resilience [23].

5.4. Potential for Regional and Global Replication

Nigeria's adoption of indigenous fire prevention solutions also has regional and global significance [25]. Many African countries face similar vulnerabilities, including reliance on biomass fuels, weak enforcement of safety codes, and dependence on costly imports [21]. By developing scalable models, Nigeria could serve as a regional leader, sharing frameworks that combine science, local innovation, and policy integration [22].

Global discourses on sustainability increasingly emphasize circular economy practices and reduced reliance on hazardous chemicals [27]. Nigeria's experience with neem, cassava starch, clay, and bamboo could inspire other developing nations in Asia and Latin America to adopt comparable models [23]. Such replication not only strengthens global South-South collaboration but also positions Nigeria as a contributor to global safety and sustainability agendas [26].

International development agencies may also support these efforts by funding research, facilitating technology transfer, and promoting cross-border knowledge exchange [24]. The broader outcome is a framework that demonstrates how localized solutions can be globally relevant, balancing affordability, ecological responsibility, and inclusivity. By leveraging its indigenous resources, Nigeria has the potential to pioneer new approaches to fire safety that resonate far beyond its borders [25].



Figure 3 Policy Adoption Model Linking Local Innovation to National Fire Safety Frameworks

By linking community empowerment, industrial growth, and policy frameworks, these findings underscore the transformative potential of indigenous fire prevention. The next section evaluates the challenges and limitations that must be addressed to ensure effective implementation and future scalability [26].

6. Challenges, limitations, and future research

6.1. Technical and Scientific Limitations

Despite their promise, indigenous fire prevention materials face technical and scientific limitations that must be addressed before widespread adoption [28]. Neem extracts and cassava starch, while effective in forming char layers, may degrade under prolonged exposure to humidity, reducing durability in Nigeria's tropical climate [26]. Similarly, bamboo requires treatment to overcome its natural flammability, which adds costs and may involve chemical processes not yet optimized for local conditions [31].

Clay and laterite present another challenge: variations in soil mineral composition across regions affect consistency in performance [30]. Without standardized testing protocols, results may be uneven, limiting their credibility in national construction standards [27]. Furthermore, palm kernel residues exhibit variability in lignin and cellulose content, requiring controlled processing to achieve reliable flame resistance [34]. These limitations highlight the need for systematic testing and hybridization strategies that blend indigenous materials with stabilizers to improve performance [29].

6.2. Socioeconomic and Cultural Barriers

Socioeconomic barriers also constrain adoption. Perceptions of indigenous materials as "inferior" compared to imported products may hinder public acceptance [32]. Bamboo, for example, is often dismissed as a poor man's material, despite its proven strength and renewable properties [26]. Overcoming such stigma requires awareness campaigns and demonstration projects that highlight affordability and effectiveness [35].

Financial barriers are equally significant. Low-income households may lack resources to invest in even low-cost fire prevention technologies without subsidies or incentives [27]. SMEs that could process these materials into coatings or composites also face challenges accessing capital and infrastructure [30]. Weak regulatory enforcement compounds the problem, as informal housing and market structures often escape compliance with safety standards [28].

Addressing these barriers requires integrated policy, economic, and cultural strategies. Community-based programs that promote local innovation while embedding fire safety within broader poverty reduction and resilience frameworks offer a sustainable pathway [31].

6.3. Future Research Priorities

Future research should prioritize three areas: performance optimization, socio-technical integration, and scalability [29]. On the technical side, hybridization of neem or cassava starch with mineral stabilizers could enhance durability and flame resistance [34]. Socio-technical studies are needed to evaluate cultural acceptance and willingness to adopt low-cost fire prevention technologies in both rural and urban communities [26].

As shown in Figure 4, a research roadmap highlights stages from laboratory testing to field demonstrations, followed by policy integration and industrial scale-up [32]. By aligning scientific innovation with cultural and economic realities, Nigeria can pioneer sustainable fire prevention models relevant globally [35].



Figure 4 Research Roadmap for Scaling Indigenous Fire Prevention Solutions in Nigeria

By acknowledging technical, socioeconomic, and cultural barriers while outlining a clear research roadmap, this section sets the stage for the final synthesis of findings and their implications for sustainable fire safety in Nigeria [28].

7. Conclusion

7.1. Recap of Findings

This study set out to investigate the potential of indigenous Nigerian materials such as neem extracts, cassava starch, palm kernel residues, clay, laterite, and bamboo in developing sustainable, low-cost fire prevention solutions. The findings demonstrate that these resources possess significant scientific and practical potential when applied as coatings, structural materials, or additives. Plant-based options such as neem and cassava starch were shown to provide effective flame resistance by forming protective char layers, while palm kernel residues emerged as a cost-efficient solution that simultaneously reduces agricultural waste. Mineral-based alternatives, particularly clay and laterite, displayed strong structural fire resistance, making them ideal for construction. Bamboo, though naturally flammable, can be transformed into a viable fire-safe material through appropriate treatments.

The comparative analysis confirmed that no single material serves as a complete solution, but hybrid applications combining plant and mineral resources can create multi-layered protection systems. These solutions not only improve fire safety outcomes but also present opportunities for local industries to engage in value-added production. Collectively, the results highlight how Nigeria's abundant resources can be harnessed to bridge the gap between affordability, accessibility, and effectiveness in fire prevention technologies.

7.2. Reinforcement of Significance for Nigeria and Beyond

The broader significance of this research lies in its alignment with Nigeria's urgent need for localized, affordable fire safety solutions. Fire outbreaks remain a persistent threat to households, markets, and industries, with devastating social and economic consequences. By utilizing indigenous resources, Nigeria can reduce its dependence on costly imported products, increase community resilience, and promote inclusive safety strategies that reach vulnerable populations. Beyond safety, these solutions foster poverty reduction by protecting assets and livelihoods that might otherwise be lost to fire disasters.

For Nigeria's economy, the development of indigenous fire-prevention technologies also represents an industrial opportunity. Small and medium-sized enterprises can play a central role in processing, distributing, and commercializing these materials, creating new jobs and contributing to local economic empowerment. At the policy level, adopting such innovations can strengthen national frameworks for disaster risk reduction and sustainability.

Internationally, Nigeria's approach could serve as a replicable model for other developing nations facing similar challenges. By demonstrating how natural resources can be transformed into affordable fire safety tools, Nigeria can contribute to global discourses on sustainable innovation, resilience, and circular economies. This research thus extends its relevance beyond national boundaries, reinforcing its importance on a regional and global scale.

7.3. Final Statement on Sustainability, Affordability, and Resilience

In conclusion, the development of indigenous fire prevention solutions represents a strategic convergence of sustainability, affordability, and resilience. These materials are not only cost-effective but also environmentally responsible, reducing reliance on hazardous chemical imports. They empower local communities and industries while enhancing national safety frameworks. By embracing this pathway, Nigeria positions itself at the forefront of sustainable innovation, showcasing how indigenous knowledge and scientific advancement can be harnessed for practical and inclusive outcomes. The journey from local resource to national safeguard reflects the promise of building a fire-safe future that is both equitable and enduring.

Reference

[1] Onyegiri I, Ugochukwu IB. Traditional building materials as a sustainable resource and material for low cost housing in Nigeria: Advantages, challenges and the way forward. International Journal of Research in Chemical, Metallurgical and Civil Engineering. 2016 Aug;3(2):247-52.

[2] OSUNKUNLE A, HENRY OA. Harnessing local building materials in building construction for sustainable development in the 21st century. InProceedings of the 2014 Proceedings of the Multi-disciplinary Academic Conference on Sustainable Development 2014 Jul 10.

[3] Emmanuel Ochuko Ejedegba. ARTIFICIAL INTELLIGENCE FOR GLOBAL FOOD SECURITY: HARNESSING DATA-DRIVEN APPROACHES FOR CLIMATE-RESILIENT FARMING SYSTEMS. International Journal Of Engineering Technology Research & Management (IJETRM). 2019Dec21;03(12):144–59.

[4] Idara Andy. Legal frameworks governing renewable energy integration, environmental compliance, and sustainable economic growth in emerging global markets. *World Journal of Advanced Research and Reviews*. 2020;8(3):531-49. doi: https://doi.org/10.30574/wjarr.2020.8.3.0500

[5] Funmilayo A. Earth wall construction: The way out for affordablle and sustainable housing development. ISSN 2168-0612 FLASH DRIVE ISSN 1941-9589 ONLINE. 2013 Jan 2;131.

[6] Medina M. Solid wastes, poverty and the environment in developing country cities: Challenges and opportunities. WIDER Working Paper; 2010.

[7] Ogunmakinde OE, Sher W, Maund K. An assessment of material waste disposal methods in the Nigerian construction industry. Recycling. 2019 Mar 19;4(1):13.

[8] Oyelami CA, Van Rooy JL. A review of the use of lateritic soils in the construction/development of sustainable housing in Africa: A geological perspective. Journal of African Earth Sciences. 2016 Jul 1;119:226-37.

[9] Acheampong A, Hackman J, Ayarkwa J, Agyekum K. Factors inhibiting the use of indigenous building materials (IBM) in the Ghanaian construction industry. Africa Development and Resources Research Institute Journal. 2014 May 30;8(2):1-5.

[10] Adeyanju BE, Enujiugha VN, Bolade MK. Effects of addition of kidney bean (Phaseolus vulgaris) and alligator pepper (Aframomum melegueta) on some properties of 'aadun'(a popular local maize snack). Journal of Sustainable Technology. 2016 Apr;7(1):45-58.

[11] Chukwunweike J. Design and optimization of energy-efficient electric machines for industrial automation and renewable power conversion applications. *Int J Comput Appl Technol Res*. 2019;8(12):548–560. doi: 10.7753/IJCATR0812.1011.

[12] Iweka AC, Adebayo AK. Improving housing durability in deprived settlements of Lagos megacity through ingenuous use of sustainable indigenous materials. International Journal of Sustainable Construction Engineering and Technology. 2010;1(1):99-112.

[13] Bobbo H, Ali AM, Garba I, Salisu M. The prospects and challenges of incorporating earth construction techniques (ECT) in the Nigerian educational curriculum. Prospects. 2015 Aug;2(8):2233-7.

[14] Yang J, Ogunkah IC. A multi-criteria decision support system for the selection of low-cost green building materials and components. Journal of Building Construction and Planning Research. 2013 Dec 3;1(04):89.

[15] Stanley CU, Ogbuagu GO, Okechukwu FE. An appraisal of the sources, quantities and prices of imported building materials in Nigeria. International Journal. 2014;2(9):871-89.

[16] Sharma V, Marwaha BM, Vinayak HK. Enhancing durability of adobe by natural reinforcement for propagating sustainable mud housing. International Journal of Sustainable Built Environment. 2016 Jun 1;5(1):141-55.

[17] Oyinlola M, Whitehead T, Abuzeinab A, Adefila A, Akinola Y, Anafi F, Farukh F, Jegede O, Kandan K, Kim B, Mosugu E. Bottle house: A case study of transdisciplinary research for tackling global challenges. Habitat International. 2018 Sep 1;79:18-29.

[18] Adedeji YM, Fa G. Sustainable housing provision: preference for the use of interlocking masonry in housing delivery in Nigeria. Architecture Research. 2012 Jan;2(5):81-6.

[19] Opoko AP, Oluwatayo A. Trends in urbanisation: implication for planning and low-income housing delivery in Lagos, Nigeria. Architecture Research. 2014;4(1A):15-26.

[20] Ihuah PW. Building materials costs increases and sustainability in real estate development in Nigeria. African Journal of Economic and Sustainable Development. 2015;4(3):218-33.

[21] Duru RU, Ikpeama EE, Ibekwe JA. Challenges and prospects of plastic waste management in Nigeria. Waste Disposal & Sustainable Energy. 2019 Aug;1(2):117-26.

[22] Warren DM. Using indigenous knowledge. Agricultural Development World Bank Discussion Papers,(127). 1991.

[23] Okoye J, Oni K. Promotion of indigenous food preservation and processing knowledge and the challenge of food security in Africa. Journal of food security. 2017;5(3):75-87.

[24] Oruwari Y, Jev M, Owei O. Acquisition of technological capability in Africa: A case study of indigenous building materials firms in Nigeria. African Technology Policy Studies Network; 2002 Jan 1.

[25] Aluko YA. Women's use of indigenous knowledge for environmental security and sustainable development in Southwest Nigeria. International Indigenous Policy Journal. 2018 Jul 1;9(3):1-23.

[26] Ogunkah I, Yang J. Analysis of factors affecting the selection of low-cost green building materials in housing construction. International Journal of sciences. 2013 Sep 2;2.

[27] Adedeji YM. Interlocking masonry: Panacea for sustainable low-cost housing in Nigeria. Pakistan Journal of Social Sciences. 2008;5(8):744-50.

[28] Oyedepo SO. Towards achieving energy for sustainable development in Nigeria. Renewable and sustainable energy reviews. 2014 Jun 1;34:255-72.

[29] Ojo-Igbinoba EM. The practice of conservation of library materials in sub-Saharan Africa. African Studies Program, IU-Bloomington; 1993.

[30] Srivastava M, Kumar V. The methods of using low cost housing techniques in India. Journal of Building Engineering. 2018 Jan 1;15:102-8.

[31] Obakin OA. Technology for energy efficient building materials: Towards sustainable housing delivery in Nigeria. International Journal of Technology and Engineering Studies. 2018 Oct 1;4(5):167-78.

[32] Jasvi AH, Bera DK. Sustainable use of low cost building materials in the rural India. International Journal of Research in Engineering and Technology. 2015 Dec;4(13):534-47.

[33] Nuhu UB, Alibaba H. Sustainable materials and elements in low cost housing in North Central Nigeria. Journal Homepage: http://www. esrjournal. com Email: esrjeditor@ gmail. com Double-Blind. 2018 Jan;6(1).

[34] Taiwo A, Adeboye A. Sustainable housing supply in Nigeria through the use of indigenous and composite building materials. Civil and Environmental Research. 2013;3(1).

[35] Nwoke OA, Ugwuishiwu BO. Local bamboo and earth construction potential for provision of affordable structures in Nigeria. International Journal of Sustainable Construction Engineering and Technology. 2011 Dec 16;2(2).