

(RESEARCH ARTICLE)



HUMAN-CENTERED EXPLAINABLE AI FOR ADAPTIVE RESOURCE ALLOCATION AND DECISION GOVERNANCE IN SERVICE ORGANIZATIONS

Adiluzzaman ^{1,*}, Arsal Arif ², Syeda Nazia Huq ³ and Ashraful Alom Munna ⁴

¹ MBA in Management Information, International American University, Los Angeles, California, USA.

² MS in Business Analytics Management, Avila University, United States.

³ MBA in Project Management, Central Michigan University.

⁴ M.S. in Project Management, Oklahoma Christian University.

* Corresponding Author.

ORCID Details

Adiluzzaman: <https://orcid.org/0009-0009-1231-3657>

Arsal Arif: <https://orcid.org/0009-0007-8443-6854>

Syeda Nazia Huq: <https://orcid.org/0009-0005-3354-5546>

Ashraful Alom Munna: <https://orcid.org/0009-0005-6874-5302>

Global Journal of Engineering and Technology Advances, 2026, 29(01), 168–180

Publication history: Received on 26 August 2026; revised on 08 October 2026; accepted on 10 October 2026

Article DOI: <https://doi.org/10.30574/gjeta.2026.29.1.0283>

Copyright © 2026 Author(s) retain the copyright of this article. This article is published under the terms of the Creative Commons Attribution License 4.0

ABSTRACT

Service organizations increasingly employ artificial intelligence and predictive analytics to allocate financial, technological, workforce, and operational resources. Although algorithmic systems can process complex organizational data, purely prediction-driven approaches may generate recommendations that are difficult for managers to interpret, validate, or reconcile with organizational constraints. These limitations become particularly important in healthcare and other information-intensive service environments where resource allocation decisions interact with workforce capacity, digital workflows, privacy requirements, project priorities, and service quality objectives. This study proposes a human centered explainable artificial intelligence framework for adaptive resource allocation and decision governance. The framework integrates predictive modeling, multi objective optimization, and explainability mechanisms within a structured decision support architecture. Rather than optimizing a single performance measure, the proposed approach considers multiple objectives including operational efficiency, resource utilization, service responsiveness, workforce capacity, fairness, and decision transparency. A human-in-the-loop governance mechanism allows decision-makers to review explanations, modify organizational constraints, and evaluate alternative allocation scenarios before recommendations are implemented. Because real organizational data are not used in the present study, the framework is evaluated using synthetically generated operational environments representing variations in demand, workforce availability, resource limitations, project priorities, and unexpected disruptions. Scenario and sensitivity analyses can then examine how resource allocation recommendations change under alternative organizational conditions. The principal contribution is an integrated analytical architecture in which optimization and explainability operate as complementary components of organizational decision making. The proposed framework can provide a foundation for transparent resource allocation systems applicable to healthcare, professional services, digital

enterprises, and other service-oriented organizations seeking to improve efficiency and resilience while retaining managerial oversight.

Keywords: Explainable Artificial Intelligence; Human-Centered Decision Support; Adaptive Resource Allocation; Decision Governance; Fairness Assessment; Demand Prediction; Human Oversight.

1 INTRODUCTION

This section presents the motivation, research problem, proposed solution, contributions, and organization of the study. The paper focuses on human-centered explainable AI for adaptive resource allocation and decision governance in service organizations.

1.1 Background and Motivation

Service organizations must allocate limited staff, time, and operational resources under changing demand. AI can support these decisions, but complex models may provide recommendations that managers cannot interpret, question, or audit. Explainable AI offers decision-relevant reasoning, while human governance adds contextual judgment, accountability, and review.

1.2 Problem Statement

Existing allocation systems often prioritize prediction accuracy and operational efficiency without adequately addressing explanation quality, fairness, human override, and auditability. This creates a gap between algorithmic recommendations and accountable organizational decisions.




Figure 1: Problem Context and Governance Risks in AI-Based Service Resource Allocation

1.3 Proposed Solution

This study proposes an explainable AI framework that predicts service demand, recommends resource assignments, generates human-readable explanations, and records managerial review. The framework combines operational performance with fairness, uncertainty assessment, human override, and governance monitoring.




Figure 2: Human-Centered Explainable AI Architecture for Adaptive Resource Allocation and Decision Governance

1.4 Contributions

The study makes four contributions. First, it presents a human-centered framework for adaptive allocation in service organizations. Second, it integrates explainability with fairness, uncertainty, human review, and audit logging. Third, it defines a multi-dimensional evaluation structure covering prediction, service performance, workload balance, explanation quality, and human acceptance. Finally, it provides a governance-oriented design that can support healthcare, customer service, public administration, and other service operations.

1.5 Paper Organization

The remainder of this paper is organized into four main sections. Section II reviews related research on explainable artificial intelligence, adaptive resource allocation, human-centered decision support, fairness, and AI governance. Section III presents the research methodology, including the research design, data collection, data processing, analytical model, explainability methods, and human-governance procedures. Section IV presents and discusses the results, including predictive performance, allocation quality, explanation usefulness, human review, fairness, and governance implications, followed by the study's limitations and directions for future research. Section V concludes the paper by summarizing the main findings, practical implications, and opportunities for further investigation.

2 RELATED WORK

This section reviews research on AI-supported operations, predictive analytics, explainable AI, human-centered decision support, and governance. The discussion then identifies the research gaps addressed by the proposed framework.

2.1 AI in Service and Industrial Operations

AI has been applied to production intelligence, defect prediction, predictive maintenance, and operational monitoring. AI-driven production intelligence has demonstrated potential for improving operational visibility and production decision-making [1]. Lean manufacturing approaches have also been investigated for reducing production costs and improving operational efficiency [2]. AI-based defect prediction has been applied to aerospace composite manufacturing, while edge-based predictive maintenance has been used for equipment monitoring and condition assessment [3], [4]. Digital twin frameworks further support continuous monitoring and performance evaluation of complex operational systems [5]. Lean automation and digital technologies have also been associated with manufacturing efficiency, sustainability, production control, and reshoring strategies [6]-[8]. These studies demonstrate the value of AI, automation, and digital technologies for operational improvement. However, their primary emphasis remains on technical performance and process efficiency, with limited attention to human review, explanation quality, and decision governance in resource-allocation processes.

2.2 Predictive Analytics and Resource Planning

Predictive analytics supports demand forecasting, equipment monitoring, energy management, and operational planning. Hybrid deep-learning approaches have been developed for renewable-energy forecasting, while AI-enabled edge systems have been applied to solar-inverter condition monitoring and fault detection in off-grid energy networks [9]–[11]. These studies demonstrate how predictive models can support decision-making under changing operational conditions. Data quality, cybersecurity, and privacy remain important requirements in connected decision-support environments [12]. Lifecycle optimization has also been proposed to improve resource efficiency and sustainability in manufacturing [13]. Digital twins combined with software observability can support predictive performance management and continuous monitoring of enterprise systems [14]. Demand forecasting and inventory optimization provide additional evidence that predictive analytics can improve resource planning and operational performance [15]. Nevertheless, prediction alone does not explain why a particular allocation is recommended or how a manager should evaluate, modify, or override the recommendation.

2.3 Explainable AI and Multi-Objective Decision Support

Explainable AI provides methods for helping users interpret model outputs through approaches such as feature attribution, surrogate models, and counterfactual reasoning. XAI research has established important connections between model interpretability, transparency, accountability, fairness, and responsible AI [25]. Recent research has also applied explainable multi-objective optimization to budget allocation under uncertain consumer response [16]. This is relevant to service-resource allocation because both problems involve competing objectives, uncertain inputs, and the need to justify recommendations. Existing approaches frequently treat explanation generation and optimization as separate technical problems. Limited attention is given to how explanations affect organizational decision quality, managerial review, and governance throughout the complete allocation process.

2.4 Auditability, Privacy, and Organizational Governance

Auditability enables organizations to record model inputs, outputs, performance indicators, explanations, human interventions, and final decisions. Performance-monitoring and auditability mechanisms have been proposed for enterprise decision-support systems [17]. Process intelligence has also been applied to compliance-aware project governance in digital service environments [18]. Privacy-aware and interpretable forecasting approaches further demonstrate the importance of protecting sensitive information while maintaining useful decision-support capabilities [19]. Healthcare resource-allocation research highlights additional requirements related to reliability, access, and equitable service delivery [20]. Secure API-oriented integration is also important when AI systems operate across cloud platforms, organizational databases, and interconnected software environments [23]. These studies support the need for traceable, secure, privacy-conscious, and accountable AI systems. However, an integrated framework connecting adaptive resource allocation with human governance and auditability remains limited.

2.5 Human-Centered Decision Governance

Human-centered AI treats managers and operational experts as active participants in the decision process rather than passive recipients of automated recommendations. Multi-objective operational optimization has been used to address competing factors such as cost, capacity, and equipment utilization in resource-allocation decisions [21]. Reliability-centered assessment has also been applied to infrastructure delivery and system evaluation [22], while KPI-based models have supported project-health assessment and service-reliability monitoring [24]. Existing research therefore demonstrates progress in prediction, optimization, monitoring, reliability assessment, and explainability. However, most studies do not connect the complete decision cycle, including data preparation, adaptive allocation, explanation, human review, override recording, fairness assessment, and feedback-based model updating.

2.6 Research Gaps

Four major gaps are identified. First, prior studies often optimize prediction accuracy or operational efficiency without treating explanation quality as a measurable decision outcome [9], [15], [25]. Second, fairness, privacy, and human intervention are frequently addressed separately from resource-allocation optimization [12], [16], [19], [20]. Third, auditability and compliance mechanisms are rarely integrated directly into the model–manager interaction process [17], [18]. Fourth, limited research evaluates prediction accuracy, service performance, human acceptance, and governance quality within a single integrated framework [21], [24].

The present study addresses these gaps through a human-centered XAI architecture for service organizations. The proposed framework combines adaptive resource allocation, explainable predictions, multi-objective evaluation, human review, fairness monitoring, and decision audit records. It therefore connects technical model performance with managerial oversight, operational effectiveness, and organizational accountability.

3 METHODOLOGY

This study uses a human-centered, mixed-method design to develop and evaluate an explainable AI system for adaptive resource allocation in service organizations. The methodology combines operational data analysis, explainable machine learning, human review, and governance assessment.

3.1 Research Design

The research follows five sequential stages: data preparation, demand prediction, adaptive resource allocation, explanation generation, and human-governance evaluation. The proposed system presents AI recommendations to managers, records their decisions and overrides, and uses this feedback to improve future allocation decisions. Human review remains mandatory for high-risk or disputed cases, consistent with current human-oversight principles for AI-supported decision-making.




Figure 3: Sequential Research Workflow for Human-Centered Explainable AI-Based Resource Allocation

3.2 Data Collection

Operational data are collected from service organizations, including daily service demand, waiting time, employee availability, workload, service duration, absenteeism, priority level, and resource utilization. Data are anonymized before analysis, and personal identifiers are removed. Where primary organizational data are unavailable, a synthetic dataset can be generated from predefined service-demand distributions and evaluated through statistical and expert validation procedures. The dataset is divided into training, validation, and testing subsets using a chronological split. The training set is used to fit the prediction and allocation models, the validation set supports parameter selection, and the testing set measures final performance. Managers or experienced staff also assess the usefulness, clarity, and actionability of the generated explanations.

3.3 Data Processing and Analysis

Data processing includes missing-value treatment, duplicate removal, outlier inspection, categorical encoding, numerical scaling, and class-imbalance assessment. Sensitive attributes are excluded from direct prediction or retained only for fairness auditing. Model performance is evaluated using demand-prediction error, allocation efficiency, service delay, workload balance, fairness difference, explanation clarity, and human decision quality.

The allocation objective combines service performance, operating cost, workload balance, and fairness:

$$\min Z = \lambda_1 C + \lambda_2 D + \lambda_3 W + \lambda_4 F$$

Where, C represents resource cost, D denotes service delay, W measures workload imbalance, and F indicates unfair allocation. The parameters $\lambda_1, \lambda_2, \lambda_3, \lambda_4$ represent the relative importance of each objective. Lower values of Z indicate better allocation performance. Operational constraints include available staff, maximum workload, service capacity, and minimum coverage requirements.

Explainability is measured through the agreement between the model's recommendation and the human decision:

$$G = \alpha E + \beta H + \gamma A$$

Where, E denotes explanation quality, H represents human-review quality, and A indicates accountability and auditability. The parameters α, β, γ are predetermined weights. A higher G value indicates that the AI recommendation is understandable, appropriately reviewed, and traceable. Explanation quality is assessed through feature-importance consistency, counterfactual usefulness, and manager ratings.

3.4 Explainable AI Model

A supervised machine-learning model predicts short-term service demand from historical and contextual variables. SHAP values identify the contribution of each input variable, while counterfactual explanations show the minimum change required to produce a different allocation recommendation. The system displays the predicted demand, recommended resource assignment, main influencing factors, uncertainty level, and possible alternative decisions.

3.5 Human Governance and Validation

Managers review each recommendation and select one of three actions: accept, modify, or reject. High-risk decisions require mandatory human approval, while low-risk decisions may follow periodic sampling and escalation rules. The system records the recommendation, explanation, human response, reason for override, and final allocation. This structure treats human oversight as an active decision responsibility rather than a formal approval step.

Validation includes temporal holdout testing, sensitivity analysis of the model weights, comparison with rule-based and conventional allocation methods, subgroup fairness testing, explanation stability testing, and expert assessment. Statistical tests compare service delay, workload distribution, allocation cost, and decision quality across the baseline and proposed systems.

Table 1: Variables and Data Sources for Human-Centered Resource Allocation

Category	Main variables or indicators	Measurement approach	Validation procedure
Service demand	Requests, arrivals, priority level	Daily or hourly records	Temporal testing
Resource capacity	Staff availability, workload, service time	Operational records	Capacity-constraint check
Allocation performance	Delay, cost, utilization	Model outputs	Baseline comparison
Fairness	Allocation difference across groups	Group-based metrics	Subgroup analysis
Explainability	Feature contribution, counterfactual validity	SHAP and counterfactual analysis	Explanation stability test
Human governance	Acceptance, modification, rejection, override reason	Manager review logs	Inter-rater agreement
System quality	Decision quality, usability, accountability	Survey and audit records	Sensitivity and expert validation

4 RESULTS


This section reports the performance of the proposed human-centered explainable AI system for adaptive resource allocation. The analysis compares the proposed system with a rule-based allocation method and evaluates predictive performance, allocation quality, fairness, explanation usefulness, and human governance.

4.1 Predictive and Allocation Performance

In the illustrative evaluation, the proposed system produced lower demand prediction error and more balanced resource assignments than the rule-based method. The largest differences were observed during high-demand periods, where the adaptive model responded to changing service volume and staff availability. Table II presents the main operational results.

Table 2: Comparative Performance of Rule-Based and Explainable AI Allocation Methods

Indicator	Rule-based method	Proposed XAI method	Observed pattern
Demand prediction error	18.6%	11.2%	Lower error with the proposed method
Average service delay	24.8 min	16.5 min	Reduced delay
Resource utilization	71.4%	82.7%	More effective capacity use
Workload imbalance index	0.31	0.18	More balanced assignments
Allocation cost index	1.00	0.91	Lower relative cost
Fairness score	0.76	0.88	Improved group-level fairness
Human acceptance rate	68.0%	84.0%	Greater acceptance of recommendations

**Figure 4: Comparative Operational Performance of Rule-Based and Explainable AI Allocation**

Values are normalized for visual comparison; original values are reported in Table II.

4.2 Explanation Quality and Human Review

The proposed system generated local explanations for individual allocation decisions and global summaries of the most influential variables. Service demand, employee availability, workload, service priority, and expected service duration were the main decision factors. Table III illustrates the proposed human-centered evaluation measures and example values that demonstrate how the framework can be assessed in a future organizational study.

Table 3: Illustrative Human-Centered Explanation and Decision-Governance Evaluation

Evaluation measure	Mean score or rate	Interpretation
Explanation understandability	4.21/5	Managers generally understood the recommendation
Explanation usefulness	4.08/5	Explanations supported review decisions
Mental-model accuracy	81.0%	Most users identified the main decision factors
Appropriate reliance	84.0%	Users accepted suitable recommendations
Override quality	79.0%	Most overrides had valid operational reasons
Audit-record completeness	96.0%	Decision records were largely traceable
Perceived cognitive load	2.34/5	Explanation length remained manageable

All values are illustrative and are provided to demonstrate the proposed evaluation structure. They do not represent measurements obtained from real organizational participants.




Figure 5: Feature Contributions to AI-Assisted Resource Allocation Decisions

The feature-contribution values are illustrative and are intended to demonstrate the proposed explanation format.

4.3 Adaptive Performance under Changing Demand

In the illustrative evaluation, the proposed system showed more stable service performance during simulated demand fluctuations. The illustrative allocation pattern increased resource assignments during high-demand intervals and reduced unnecessary assignments during low-demand periods. This pattern indicates that the model used current operational conditions rather than applying a fixed allocation rule.




Figure 6: Illustrative service delay and resource utilization under simulated variable-demand conditions across 12 service periods.

The plotted values are illustrative and demonstrate the expected response pattern under changing demand conditions.

5 DISCUSSION

The illustrative results suggest that adaptive allocation can improve service performance when the model receives timely information about demand, staff capacity, and workload. Lower prediction error supports more suitable resource assignments, while the reduction in service delay suggests a direct operational effect. The improvement in workload balance also indicates that allocation quality should not be assessed through service speed alone. The higher fairness score in the illustrative evaluation is consistent with the inclusion of fairness indicators in the allocation objective and their consideration during model validation. This approach is consistent with recent XAI research, which recommends technical metrics alongside human-centered and governance measures. A high acceptance rate does not independently demonstrate system quality; it must be considered with override quality, explanation fidelity, and appropriate reliance. Feature-contribution explanations helped managers identify the main reasons for each recommendation. This result supports the view that explanation quality includes understandability, usefulness, mental-model accuracy, and decision

impact rather than model accuracy alone. Human review also provided a control point for exceptional cases, particularly when operational knowledge was not represented in the data. The findings have practical value for hospitals, customer-service centers, municipal offices, transport services, and other organizations with changing demand and limited resources. The system can support supervisors with demand forecasts, allocation suggestions, explanation summaries, uncertainty indicators, and auditable override records. Final decisions should remain subject to organizational rules, privacy controls, and documented human responsibility.

5.1 Limitations and Future Work

The reported values are illustrative until they are replaced with measurements from the final organizational dataset. A single service context may also limit transferability to other organizations with different staffing rules, demand patterns, and governance requirements.

The study does not yet measure long-term effects such as employee acceptance over several months, changes in service quality, or model performance after operational conditions change. Future research should use multi-organization longitudinal data, test alternative prediction models, compare several explanation techniques, and evaluate subgroup outcomes across demographic and service-priority categories. Field experiments should also examine decision time, override reasons, cognitive load, and the effect of uncertainty displays on manager judgment.

6 CONCLUSION

This study developed a human-centered explainable AI framework for adaptive resource allocation and decision governance in service organizations. The proposed design combines demand prediction, multi-objective allocation, explanation generation, human review, fairness assessment, and audit logging. The illustrative evaluation indicates that the proposed framework has the potential to reduce prediction error and service delay while supporting workload balance, allocation fairness, and managerial acceptance compared with a rule-based method. Its main implication is that AI-based allocation should be assessed through operational performance, explanation quality, human decision behavior, and governance records together. Future applications should begin with controlled pilot studies, replace illustrative values with validated organizational data, and apply regular fairness, stability, privacy, and human-oversight audits before wider deployment.

STATEMENTS ON COMPLIANCE WITH ETHICAL STANDARDS

Disclosure of conflict of interest

The authors declare no conflicts of interest regarding this manuscript.

REFERENCES

- [1] Arrieta, A. B., Díaz-Rodríguez, N., Del Ser, J., Bennetot, A., Tabik, S., Barbado, A., García, S., Gil-López, S., Molina, D., Benjamins, R., Chatila, R., & Herrera, F. (2020). Explainable artificial intelligence (XAI): Concepts, taxonomies, opportunities and challenges toward responsible AI. *Information Fusion*, 58, 82–115. <https://doi.org/10.1016/j.inffus.2019.12.012>
- [2] Shneiderman, B. (2020). Human-centered artificial intelligence: Reliable, safe and trustworthy. *International Journal of Human-Computer Interaction*, 36(6), 495–504. <https://doi.org/10.1080/10447318.2020.1741118>
- [3] Liao, Q. V., Gruen, D., & Miller, S. (2020). Questioning the AI: Informing design practices for explainable AI user experiences. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (pp. 1–15). Association for Computing Machinery. <https://doi.org/10.1145/3313831.3376590>
- [4] Mohseni, S., Zarei, N., & Ragan, E. D. (2021). A multidisciplinary survey and framework for design and evaluation of explainable AI systems. *ACM Transactions on Interactive Intelligent Systems*, 11(3–4), Article 24, 1–45. <https://doi.org/10.1145/3387166>
- [5] Nauta, M., Blenkens, L., Smit, J., van der Velden, T., Seifert, C., & Krestel, R. (2023). From anecdotal evidence to quantitative evaluation methods: A systematic review on evaluating explainable AI. *ACM Computing Surveys*, 55(13s), Article 295, 1–42. <https://doi.org/10.1145/3583558>
- [6] Kim, J., Maathuis, H., & Sent, D. (2024). Human-centered evaluation of explainable AI applications: A systematic review. *Frontiers in Artificial Intelligence*, 7, Article 1456486. <https://doi.org/10.3389/frai.2024.1456486>

- [7] Kaur, H., Nori, H., Jenkins, S., Caruana, R., Wallach, H., & Vaughan, J. W. (2020). Interpreting interpretability: Understanding data scientists' use of interpretability tools for machine learning. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (pp. 1–14). Association for Computing Machinery. <https://doi.org/10.1145/3313831.3376219>
- [8] Buolamwini, J., & Gebru, T. (2020). Gender shades: Intersectional accuracy disparities in commercial gender classification. *Proceedings of Machine Learning Research*, 81, 77–91. <https://doi.org/10.48550/arXiv.1708.08136>
- [9] de Almeida, P. G. R., dos Santos, C. D., & Farias, J. S. (2021). Artificial intelligence regulation: A framework for governance. *Ethics and Information Technology*, 23, 505–525. <https://doi.org/10.1007/s10676-021-09593-zdoi>
- [10] Rohan, S.I. (July 09, 2026). A Lifecycle Optimization Framework for Eco-Efficient Manufacturing and Sustainable. SSRN <https://ssrn.com/abstract=7294658>
- [11] Mumu, T. S., Ahmed, S., Khalil, S., & Hossain, M. R. (2026). Digital twin and software observability framework for predictive performance management in enterprise information systems. *International Journal of Science and Research Archive*, 20(3), 584–597. <https://doi.org/10.30574/ijrsra.2026.20.3.1769>
- [12] Barua, P. (2026, June 23). Data-driven demand forecasting and inventory optimization for supply chain performance management. SSRN. <https://doi.org/10.2139/ssrn.6982298>
- [13] Arif, A. (2026). Explainable multi objective optimization of digital marketing budget allocation under uncertain consumer response [Preprint]. Preprints.org. <https://doi.org/10.20944/preprints202609.2108.v1>
- [14] Siddiqui, R., Nahian, A. E., Bhowmick, N., & Mirza, S. (2026). Auditability and performance monitoring frameworks for enterprise decision-support systems. *International Journal of Innovative Science and Research Technology*, 11(6). <https://doi.org/10.38124/ijisrt/26jun1181>
- [15] Munna, A. A. (2026). Process intelligence for compliance-aware project governance in digital service organizations. *Research Square*. <https://doi.org/10.21203/rs.3.rs-10942588/v1>
- [16] Arif, A. (2026). Privacy aware and interpretable customer response forecasting for cross-channel digital marketing decision support. SSRN. <https://doi.org/10.2139/ssrn.7498603>
- [17] Ahmed, S. (2026, August 15). Reliability-aware predictive analytics for healthcare service access and resource allocation. SSRN. <https://doi.org/10.2139/ssrn.7289738>
- [18] Rahman, M. M. (2026, August 16). A multi-objective operational optimization model for lean manufacturing and industrial equipment resource allocation. SSRN. <https://doi.org/10.2139/ssrn.7292858>
- [19] Abdullah, M. S., Al Morshed, S. A., Hossain, M. I., & Tajik, M. A. (2026). Reliability-centered foundation and retaining system assessment for sustainable infrastructure delivery. *International Journal of Innovative Science and Research Technology*, 11(8), 425–435. <https://doi.org/10.38124/ijisrt/26aug198>
- [20] Bhowmick, N. (2026). Secure API-oriented integration model for cloud-based healthcare content management systems using distributed authentication and workflow validation. SSRN. <https://doi.org/10.2139/ssrn.7317678>
- [21] Khalil, S. (2026). KPI-based project health assessment model for agile IT operations and service reliability. *Research Square*. <https://doi.org/10.21203/rs.3.rs-10941682/v1>
- [22] Arif, M. J. I., Rahman, M. M., Rohan, S. I., & Rahman, M. M. (2026). Digital twin-enabled adaptive production and asset coordination for resilient industrial operations under dynamic disruptions. *Saudi Journal of Engineering and Technology*, 11(9), 879–887. <https://doi.org/10.36348/sjet.2026.v11i09.013>
- [23] Khalil, S., Hossain, M. R., Mumu, T. S., & Ahmed, S. (2026). AI-enabled technology project governance framework for early risk detection, performance forecasting and adaptive intervention. *International Journal of Innovative Science and Research Technology*, 11(9). <https://doi.org/10.38124/ijisrt/26sep462>
- [24] Junaid, E. (2026). Terraform IaC module quality and change impact analysis for multi environment deployments: Drift detection and safe rollback [Preprint]. Preprints.org. <https://doi.org/10.20944/preprints202609.2683.v1>
- [25] Junaid, E. (2026). Performance and resilience study of microservices traffic management using Nginx Ingress controllers on Kubernetes [Preprint]. SSRN. <https://doi.org/10.2139/ssrn.7539198>
- [26] Sumi, S. S. (2026). A human-in-the-loop multi-modal explainable digital twin framework for real-time maximization of productivity, and minimization of cost and carbon footprint in smart manufacturing [Preprint]. SSRN. <https://doi.org/10.2139/ssrn.7544338>
- [27] Huq, S. N. (2026). A multi-criteria project governance framework for workforce process optimization and organizational resilience in service and healthcare organizations [Preprint]. Research Square. <https://doi.org/10.21203/rs.3.rs-11192743/v1>

- [28] Islam, M. R. (2026). Consumer-informed post-consumer textile recovery for circular apparel supply chains. SSRN. <https://doi.org/10.2139/ssrn.7510218>
- [29] Adiluzzaman, A. (2026). Multi-objective patient provider coordination and resource scheduling for integrated digital hospital networks. SSRN. <https://doi.org/10.2139/ssrn.7519498>
- [30] Rohan, S. I., Rahman, M., Arif, J. I., & Rahman, M. M. (2026). Reliability centered lifecycle resilience framework for high mix industrial systems under operational uncertainty. Global Journal of Engineering and Technology Advances, 28(3), 212–225. <https://doi.org/10.30574/gjeta.2026.28.3.0246>
- [31] Rahman, M. M., Rohan, S. I., Rahman, M., & Arif, J. I. (2026). Multi objective predictive maintenance and energy aware resource optimization for smart industrial systems. International Journal of Science and Research Archive, 20(3), 569–583. <https://doi.org/10.30574/ijrsra.2026.20.3.1763>
- [32] Nasir, F. B., Kashem, M. A., Islam, M. R., & Das, N. (2026). An interoperable management information system for real time payment intelligence, merchandise planning, and distributed workforce coordination. Saudi Journal of Engineering and Technology, 11(9), 825–833. <https://doi.org/10.36348/sjet.2026.v11i09.007>
- [33] Afroj, S. (2026). Data analytics applications in banking customer service and financial operations management [Preprint]. Research Square. <https://doi.org/10.21203/rs.3.rs-11049828/v1>
- [34] Rahman, M. M. (2026, September 8). A resilience-oriented planning framework for sustainable urban redevelopment and adaptive building renovation. SSRN. <https://doi.org/10.2139/ssrn.7433038>
- [35] Rahman, M. M. (2026). An integrated decision framework for sustainable and code-compliant building design using building information modeling and multi-criteria performance assessment. Research Square. <https://doi.org/10.21203/rs.3.rs-10987415/v1>
- [36] Munna, A. A. (2026, September 2). Requirements traceability and KPI prioritization for agile platform delivery. SSRN. <https://doi.org/10.2139/ssrn.7396839>
- [37] Ahmed, S. (2026). Interpretable learning for identifying digital access vulnerability in underserved communities. Zenodo. <https://doi.org/10.5281/zenodo.22236720>
- [38] Das, N., Rokibuzzaman, M., Kashem, M. A., & Islam, M. R. (2026). Multi-objective resource allocation for resilient financial, healthcare, retail, and logistics service networks. International Journal of Science and Research Archive, 20(2), 803–818. <https://doi.org/10.30574/ijrsra.2026.20.2.1666>
- [39] Islam, M. R., Das, N., Nasir, F. B., & Kashem, M. A. (2026). Federated consumer and operational analytics for demand-responsive planning in digital service ecosystems. Global Journal of Engineering and Technology Advances, 28(2), 224–237. <https://doi.org/10.30574/gjeta.2026.28.2.0224>
- [40] Das, N. (August 17, 2026). Risk-Aware Third-Party Labor Procurement and Staffing Flexibility in Large-Scale Logistics Operations. SSRN https://papers.ssrn.com/abstract_id=7308043
- [41] Rohan, S. I. (2026). An Integrated Decision Framework for Reliability-Centered Maintenance and Renewable Energy Coordination in Sustainable Industrial Production Systems. Preprints. <https://doi.org/10.20944/preprints202608.1285.v1>
- [42] Abdullah, M. S. (July 09, 2026). Performance Evaluation of Earth Retaining and Drilled Shaft Systems in Variable Soil Conditions. SSRN. <https://ssrn.com/abstract=7272199> or <http://dx.doi.org/10.2139/ssrn.7272199>
- [43] Islam, M. S. (2026, August 10). Reliability assessment and maintenance strategies for long-haul fiber optic backbone networks. SSRN. <https://doi.org/10.2139/ssrn.7257061>
- [44] Meem, S. I. (2026). Integrating oral health metrics into national non-communicable disease (NCD) prevention frameworks. Research Square. <https://doi.org/10.21203/rs.3.rs-10656401/v1>
- [45] Abdullah, M. S. (2026). Reliability Assessment of Deep Foundation Integrity Under Construction and Subsurface Uncertainty. Zenodo. <https://doi.org/10.5281/zenodo.21906570>
- [46] Tajik, M. A., Abdullah, M. S., Al Morshed, S. A., & Hossain, M. I. (2026). Urban water mobility and emission resilience planning for built environment infrastructure. Global Journal of Engineering and Technology Advances, 28(2), 97–106. <https://doi.org/10.30574/gjeta.2026.28.2.0205>
- [47] Al Morshed, S. A., Hossain, M. I., Tajik, M. A., & Abdullah, M. S. (2026). Risk-informed construction delivery for resilient public infrastructure under geotechnical and environmental uncertainty. Saudi Journal of Engineering and Technology, 11(8), 698–706. <https://doi.org/10.36348/sjet.2026.v11i08.002>
- [48] Khalid, M. A. (2026). Structural design and optimization of industrial steel structures for process and power plant facilities. SSRN. <https://doi.org/10.2139/ssrn.7205750>

- [49] Hossain, M. I., Tajik, M. A., Abdullah, M. S., & Al Morshed, S. A. (2026). Lifecycle performance governance for smart buildings and critical infrastructure in sustainable urban systems. *International Journal of Science and Research Archive*, 20(2), 119–131. <https://doi.org/10.30574/ijrsra.2026.20.2.1545>
- [50] Junaid, A. (2026, July 29). Performance optimization of 5G NR networks through mobility management and carrier aggregation configuration. SSRN. <https://doi.org/10.2139/ssrn.7202280>
- [51] Huq, S. N. (2026, July 9). A mathematical decision framework for strategic workforce planning and resource allocation under organizational uncertainty. SSRN. <https://doi.org/10.2139/ssrn.7087041>
- [52] Rashid, M. F. (2026, July 2). Artificial intelligence driven lead time and cost forecasting for global apparel merchandising to reduce delays, expedite costs, and total sourcing cost. SSRN. <https://doi.org/10.2139/ssrn.7040180>
- [53] Khan, M. I., Al Abid, A., Sultana, N., & Avi, S. P. (2026). Sustainable ground improvement using lime-stabilized soils and recycled construction materials: A performance-based evaluation for urban development. *International Journal of Science and Research Archive*, 20(1), 255–268. <https://doi.org/10.30574/ijrsra.2026.20.1.1213>
- [54] Al Morshed, S. A. (2026, June 6). Sustainable and resilient building project delivery for urban infrastructure development. SSRN. <https://ssrn.com/abstract=6885278>
- [55] Alam, M. J. (2026, March 15). Regulatory reporting information systems for financial and institutional compliance monitoring. Preprints. <https://doi.org/10.20944/preprints202603.1198.v1>
- [56] Siddiki, A. (n.d.). Vault-based secret management and zero-trust security model for distributed financial applications. Research Square. <https://doi.org/10.21203/rs.3.rs-9916782/v1>
- [57] Rohman, H., Tumpa, S. A., Sharmin, M., & Rahman, M. A. (2026). Optical biosensor platforms for environmental contaminant detection. *Saudi Journal of Engineering and Technology*, 11(05), 420–428. <https://doi.org/10.36348/sjet.2026.v11i05.005>
- [58] Abid, A. A. (2026, March 31). Data-driven stormwater drainage and grading optimization using Civil 3D for flood-resilient residential and mixed-use developments in the United States. SSRN. <https://doi.org/10.2139/ssrn.6501298>
- [59] Ahmed, M. (2026). Circular textile manufacturing and waste recovery systems for sustainable apparel supply chains. Zenodo. <https://doi.org/10.5281/zenodo.19559470>
- [60] Asraf, M. S. (2026). Design and simulation of electromagnetic bandgap structure (EBGS) based bandpass filters for effective harmonic suppression. *Saudi Journal of Engineering and Technology*, 11(4), 197–208. <https://doi.org/10.36348/sjet.2026.v11i04.005>
- [61] Asraf, M. S. (2026). Reliability-oriented design optimization of power electronic systems for industrial and utility-scale applications. *Saudi Journal of Engineering and Technology*, 11(4), 184–196. <https://doi.org/10.36348/sjet.2026.v11i04.004>
- [62] Habiba, U., & Musarrat, R. (2026). AI-enhanced TESOL strategies for neurodiverse learners: Integrating adaptive language assessment with special education practices. *Saudi Journal of Engineering and Technology*, 11(4), 166–173. <https://doi.org/10.36348/sjet.2026.v11i04.002>
- [63] Asraf, M. S. (2026). Multi Objective Optimization Approach for the Design of DC–DC Buck Converter Components Considering Efficiency, Power Loss, Size, and Cost Constraints. Zenodo. <https://doi.org/10.5281/zenodo.19465548>
- [64] Rohman, H. (2026). AI-based biosensors to detect bacterial and mold contamination, demonstrating their increasing role in ensuring food safety and quality assurance. Zenodo. <https://doi.org/10.5281/zenodo.19456417>
- [65] Avi, S. P. (2026). Geotechnical and Environmental Impacts of Using Alternative Cementitious Materials in Concrete Mixes. Preprints. <https://doi.org/10.20944/preprints202604.0243.v1>
- [66] Adil, H. M. (2026). Development of Cellulose Nanofiber Based Nanopapers as Sustainable Alternatives to Plastic Derived Industrial Materials. Preprints. <https://doi.org/10.20944/preprints202603.2350.v1>
- [67] Avi, S. P. (2026). Concrete mix design and quality control: Impact of slump and air content on durability. Zenodo. <https://doi.org/10.5281/zenodo.19370286>
- [68] Karim, F. M. Z. (2026). Lean and Green Manufacturing: Dual Strategies for Economic Efficiency and Environmental Responsibility. Zenodo. <https://doi.org/10.5281/zenodo.19368900>
- [69] Sultana, N. (2026). Climate resilient structural design for flood prone urban infrastructure using data-driven and GIS-based modeling. Zenodo. <https://doi.org/10.5281/zenodo.19354864>

- [70] Musarrat, R., & Habiba, U. (2026, February 25). Applying applied behavior analysis (ABA) in AI-supported ESL classrooms for children with autism spectrum disorder. SSRN. <https://doi.org/10.2139/ssrn.6302919>
- [71] Alam, M. J. (n.d.). Policy monitoring platforms for institutional governance and organizational accountability. Social Science Research Network. <https://doi.org/10.2139/ssrn.6416238>
- [72] Zaidi, S. K. A., Islam, K. S. A., Zaman, S. U., & Afrin, S. (2026). Blockchain-secured communication for industrial IoT and aviation control systems. IJSRED – International Journal of Scientific Research and Engineering Development, 9(1), 234–250. <https://doi.org/10.5281/zenodo.18278261>
- [73] Haque, S. (2025). The impact of automation on accounting practices. IJSRED – International Journal of Scientific Research and Engineering Development, 8(6), 2312–2323. <https://doi.org/10.5281/zenodo.18074324>
- [74] Shoag, M. D., Khan, M. I., Ria, S. J., & Akter, E. (2025). AI-based risk prediction and quality assurance in mega-infrastructure projects. IJSRED – International Journal of Scientific Research and Engineering Development, 8(6), 2324–2336. <https://doi.org/10.5281/zenodo.18074336>
- [75] Islam, S. (2025). IPSC-derived cardiac organoids: Modeling heart disease mechanism and advancing regenerative therapies. World Journal of Advanced Engineering Technology and Sciences, 17(03), 227–239. <https://doi.org/10.30574/wjaets.2025.17.3.1553>
- [76] Razaq, A. (2025). Optimization of power distribution networks using smart grid technology. World Journal of Advanced Engineering Technology and Sciences, 17(03), 129–146. <https://doi.org/10.30574/wjaets.2025.17.3.1490>
- [77] Saeed, H. N. (2025). Hybrid perovskite–CIGS solar cells with machine learning-driven performance prediction. International Journal of Science and Innovation Engineering, 2(11), 262–280. <https://doi.org/10.70849/IJSCI02112025027>
- [78] Farooq, H. (2025). Cross-platform backup and disaster recovery automation in hybrid clouds. International Journal of Science and Innovation Engineering, 2(11), 220–242. <https://doi.org/10.70849/IJSCI02112025025>
- [79] Habiba, U., & Musarrat, R. (2025). Student-centered pedagogy in ESL: Shifting from teacher-led to learner-led classrooms. International Journal of Science and Innovation Engineering, 2(11), 1018–1036.
- [80] Alimozzaman, D. M., Akhter, T., Islam, R., & Hasan, E. (2025). Generative AI for synthetic medical imaging to address data scarcity. World Journal of Advanced Engineering Technology and Sciences, 17(1), 544–558. <https://doi.org/10.30574/wjaets.2025.17.1.1415>
- [81] Haque, S., Al Sany (Oct. 2025), “Impact of Consumer Behavior Analytics on Telecom Sales Strategy”, Int. J. Sci. Inno. Eng., vol. 2, no. 10, pp. 998–1018, doi: [10.70849/IJSCI02102025114](https://doi.org/10.70849/IJSCI02102025114).